



Eben Smit

SANAS Lead Assessor

SATS 50 010?

ebens@sanas.co.za



SATS 50 010



4.1 Introduction

4.2 Boundary for Measurement

4.2.1 Retrofit Isolation Options

4.2.2 Whole Facility Option

4.2.3 Calibrated Simulation Option.



SATS 50 010



4.3 Measurement period

4.3.1 Baseline measurement period

4.3.2 Reporting measurement period



SATS 50 010



- **4.4 Basis for baseline adjustments**
- **4.4.1 Routine Adjustments**
- **4.4.2 Non-Routine Adjustments**
- **4.4.3 Avoided Energy Use**
- **4.4.4 Fixed Conditions Basis or Normalized Savings**
- **4.4.5 Factors to consider when choosing between avoided energy use and normalized savings:**



SATS 50 010



- 5. Measurement methodology**
- 5.1 Retrofit isolation options**
- 5.2 Retrofit option with key parameter measurement**
- 5.3 Retrofit isolation option with all parameter measurement**
- 5.4 Retrofit Isolation Measurement Issues**



SATS 50 010



- 5. Measurement methodology**
- 5.5 Whole Facility option**
- 5.6 Calibrated Simulation**



SATS 50 010



Where do I get SATS 50 010?

www.sabs.co.za


