

CERTIFICATE OF COMPLIANCE

In terms of section 22(2) (b) of the Accreditation for Conformity Assessment, Calibration and Good Laboratory Practice Act, 2006 (Act 19 of 2006), read with sections 23(1), (2) and (3) of the said Act, I hereby certify that:

**INTERVET (PTY) LTD
MALELANE RESEARCH UNIT
Co. reg no: 1984/006837/07**

Facility Accreditation Number: **GCV02**

is in compliance with the VICH Cooperation on Harmonisation of
Technical Requirements for Registration of Veterinary Medicinal Products
within the following area of expertise:

EFFICACY TESTING OF VETERINARY PRODUCTS

Conducted on : **Study Animals**

Date of inspection : **17 – 19 November 2009**

The name of the facility has been added to the South African National Accreditation System
register of GCP inspected facilities

The facility is subject to terms and conditions as laid down in
SANAS GCP system

**Mr M Phaloane
Acting Chief Executive Officer**

**Effective Date: 30 April 2009
Certificate Expires: 29 April 2011**

This certificate is valid as per the scope as stated in the accompanying schedule of accreditation, Annexure "A"

ANNEXURE A

SCHEDULE OF COMPLIANCE

GCP Laboratory Number: GCV02

<p>Permanent Address of Laboratory: Malelane Research Unit, Intervet (Pty) Ltd. Richtershoek Tonga Road Malelane</p> <p>Postal Address: P.O. Box 124 Malelane 1320</p> <p>Tel : (013) 792-4518 Fax : (012) 997-2105 Cell : 082 807 2148 E-mail : dokfaffa@nashuaisp.co.za</p>	<p>Contact Person: Dr F Malan</p> <p>Issue No. : 06 Date of Issue : 24 March 2010 Expiry Date : 29 April 2011</p>
SCOPE	
Pre-clinical and clinical efficacy studies on veterinary products.	

Original date of compliance: 30 April 2002

Page 1 of 1

ISSUED BY THE SOUTH AFRICAN NATIONAL ACCREDITATION SYSTEM

Field Manager